

Compact Cream Foundation

Phase A	Weight %	For 100 g / 3.5 oz
Triglyceride (emollient)	16.4 %	16.4 g / 0.6 oz / 4 tsp
Polyisobutene (emollient)	15 %	15 g / 0.5 oz / 1 Tbsp
Meadowfoam Seed Oil (emollient)	10 %	10 g / 0.4 oz / 2 tsp
Sheabutter (emollient)	2 %	2 g / 0.1 oz / ½ tsp
Polyglyceryl Oleate (emulsifier)	2 %	2 g / 0.1 oz / ½ tsp
Candelilla Wax (thickener)	2.5 %	2.5 g / 0.1 oz / 1 tsp
Carnauba Wax (thickener)	1.5 %	1.5 g / 0.05 oz (3/4 tsp)
BHT (anti-oxidant)	0.1 %	0.1 g / 0.004 oz (1/16 tsp)
Phase B		
Mica Spheres (mineral and texturizer)	15 %	15 g / 0.5 oz / 4 Tbsp
Talc Powder (mineral and texturizer)	12 %	12 g / 0.4 oz / 1 ½ Tbsp
Kaolin	7 %	7 g / 0.25 oz / 1 Tbsp ½ tsp
Phase C		
Triglyceride (emollient)	4 %	4 g / 0.14 oz / 1 tsp
Titanium Dioxide (mineral and whitening agent)	4 %	4 g / 0.14 oz / 1 ½ tsp
MakingCosmetics Pigment Blend	3 %	3 g / 0.1 oz / 1 1/4 tsp

Method

Add phase A into a disinfected glass beaker and heat to 170F/76C to melt the ingredients. When melted add phase B to phase A and stir. Add phase C to a mortar and mill well with pestle, remove all paste from mortar (using a rubber spoon works best) and add to phase A/B, stir well until homogenous. Remove from the heat and pour into a compact case, small pots or into a stick container, let it cool.

Properties

Solid foundation with an extremely velvet feel, spreads well on skin, gives soft coverage and looks very natural.