

Natural Look Black Mascara - 1093

Ingredient	Function	Percent	Wgt (g)	Wgt (oz)	Vol (tsp.)
Phase A					
Distilled Water (aqua)		68.40	68.40	2.41	13.68
Xanthan Gum, Prehydrated (xanthan gum)		0.20	0.20	0.01	0.04
Provitamin B5 (d-panthenol, water)		0.50	0.50	0.02	0.10
Glycerin (glycerin)		2.00	2.00	0.07	0.40
Gum Arabic, Prehydrated (Acacia gum)		2.00	2.00	0.07	0.40
Phase B					
Stearic Acid (stearic acid)		5.00	5.00	0.18	1.00
Candelilla Wax (Euphorbia Cerifera [candelilla] wax)		1.50	1.50	0.05	0.30
Ceteareth-20 (ceteareth-20)		1.70	1.70	0.06	0.34
Bees Wax (cera alba [bees wax])		4.50	4.50	0.16	0.90
Carnauba Wax (copernicia prunifera [carnauba] wax)		2.70	2.70	0.10	0.54
Phase C					
Iron Oxide Black (CI 77499 [iron oxide black])		10.00	10.00	0.35	2.00
Phase D					
Cyclo-Dimethicone (cyclomethicone, dimethicone)		0.50	0.50	0.02	0.10
Paraben-DU (propylparaben, methylparaben, diazolidinyl urea, propylene glycol)		1.00	1.00	0.04	0.20

Method

Add the water and glycerin and prov. B5 into a disinfected glass beaker, sprinkle the gums into agitating phase A and mix well until lump free. Start heating to 170oF/76oC. Add phase B into another disinfected glass beaker and heat to the same temperature. Add phase C to phase B and stir until smooth and well dispersed. Make sure phase B is all melted. Add phase A to phase B and stir well, continue to keep it hot until all is smooth. Then slowly lower the temperature. When at 50C/120F add phase D. Stir well, while still warm fill into mascara containers using a syringe or let it get cool in the beaker to see if the consistency and color is right. The mascara can be reheated to 60C/140 for making adjustments.

Properties

Mascara that defines lashes without build-up. Touch proof. Needs to dry a minute after application.