

Matte Liquid Lipstick - 1134

Ingredient	Function	Percent	Wgt (g)	Wgt (oz)	Vol (tsp.)
Phase A					
Triglyceride (caprylic / capric triglyceride)		56.30	56.30	1.99	11.26
Octyldodecanol (octyldodecanol)		18.00	18.00	0.63	3.60
Castor Oil (Ricinus communis [castor] oil)		6.00	6.00	0.21	1.20
Bees Wax (cera alba [bees wax])		2.50	2.50	0.09	0.50
Talc (talcum)		6.00	6.00	0.21	1.20
Shea Butter, Organic (Butyrospermum parkii [shea] butter)		2.00	2.00	0.07	0.40
Glycerin (glycerin)		1.00	1.00	0.04	0.20
Mica Powder (mica [CI 77019])		2.00	2.00	0.07	0.40
Phase B					
Iron Oxide Brown, Liquid (CI 77492 [iron oxides], castor oil)		0.50	0.50	0.02	0.10
Red No. 7 D&C Lake (CI 15850 [red no. 7 D&C lake])		0.30	0.30	0.01	0.06
Titanium Dioxide in Oil, Liquid (C12-15 alkyl benzoate, titanium dioxide, triethoxycaprylylsilane, castor oil phosphate)		2.00	2.00	0.07	0.40
Mica Red (mica [CI 77019], titanium dioxide [CI 77891], iron oxide [CI 77491])		2.00	2.00	0.07	0.40
Mica Luster Black (mica [CI 77019], titanium dioxide [CI 77891], iron oxide [CI 77491])		1.00	1.00	0.04	0.20
Vitamin E Tocopherol (dl-alpha tocopherol)		0.20	0.20	0.01	0.04
Flavor Honey-Lemon		0.20	0.20	0.01	0.04

Method

Add phase A into a heat resistant glass beaker. Stir well. Heat phase A to 168F/75C or until melted. Do not overheat. Add phase B to phase A and stir well. Check the color. Adjust the color and flavor if necessary. To darken color add a bit more of Mica Luster Black. Package into lip gloss containers while still the mixture is still warm and liquid (use a syringe).

Properties