

**1553 - Northwest Moisture Wrap (100.00g)**

Ingredient	Function	Percent	Wgt (g)	Wgt (oz)	Vol (tsp.)
<b>Phase A</b>					
Chamomile Tea Decoction Water	Diluent	40.70	40.70	1.44	8.14
Plankton Extract (glycerin, water, plankton extract)	Botanical	2.00	2.00	0.07	0.40
Algae Extract (Glycerin, water, Laminaria [Algae] extract)	Botanical	2.00	2.00	0.07	0.40
ICE Alginate Sunflower wax, sodium alginate, caprylic/capric triglyceride	Thickener, Emulsifier	0.50	0.50	0.02	0.10
Natural Bisabolol (bisabolol)	Soothing Agent	0.10	0.10	0.00	0.02
<b>Phase B</b>					
Chamomile Tea Decoction Water	Diluent	50.00	50.00	1.76	10.00
Hyaluronic Acid (sodium hyaluronate)	Thickener, Humectant	0.30	0.30	0.01	0.06
HE-Cellulose, Modified (hydroxyethylcellulose)	Thickener	0.50	0.50	0.02	0.10
Guar Gum, Cationic (guar hydroxypropyltrimonium chloride)	Thickener	0.20	0.20	0.01	0.04
<b>Phase C</b>					
Phenylpropanol EHG (Phenylpropanol, ethylhexyl glycerin)	Preservative	0.70	0.70	0.02	0.14
PEG-7 Glyceryl Cocoate (PEG-7 glyceryl monococoate)	Emollient	1.50	1.50	0.05	0.30
Squalane (squalane)	Fragrance	1.50	1.50	0.05	0.30

**Method**

Combine phase A ingredients, and use a stick blender to thicken solution with ICE Alginate. Heat gently if necessary and blend again to get a smooth mixture. Add chamomile tea from phase B into a separate beaker, allowing each polymer to swell one at a time for 30 - 60 minutes, stirring well to ensure all are homogeneous. Combine phase A and B, stirring well to incorporate. Add phase C ingredients, checking pH is about 5 before adjusting with sodium hydroxide.

**Properties**

Natural moisture wrap from the pacific ocean, with nourishing minerals from algae and plankton, moisture from hyaluronic acid and a calming sensation from chamomile and bisabolol. Feel the sea spray in a moisture wrap and plump up the dry and tired skin.