

1762 - Silky Cream Eyeshadow

Weight: 50.00g

Ingredient	INCI	Function	Percent	Wgt (g)	Wgt (oz)
Phase A					
Distilled Water	distilled water	Diluent	76.50	38.25	1.35
Sodium Gluconate	sodium gluconate	Chelating Agent	0.20	0.10	0.00
Phase B					
Glycerin	glycerin	Humectant	3.00	1.50	0.05
Xanthan Gum, Prehydrated	xanthan gum	Thickener	0.50	0.25	0.01
Phase C					
Isohexadecane	Isohexadecane	Emollient	5.00	2.50	0.09
Squalane	squalane	Emollient	2.00	1.00	0.04
GelMaker EMU	sodium acrylate / sodium acryloyldimethyl taurate copolymer, isohexadecane, polysorbate 80	Emulsifier	2.00	1.00	0.04
BioJelly	Coco-caprylate/caprates, triheptanoin, C9-12 alkane, dilinoleic acid/propanediol/PDI crosspolymer	Emollient	2.00	1.00	0.04
Boron Nitride & Sericite	Mica, boron nitride	Texturizer	2.00	1.00	0.04
Phase D					
Phenoxyethanol/SA	Phenoxyethanol, sorbic acid, caprylyl glycol	Preservative	0.80	0.40	0.01
Phase E					
Mica Sand Gold	Mica (CI 77019), iron oxide, titanium dioxide	Colorant	6.00	3.00	0.11
Mica Vivid Pink	Mica (CI 77019), iron oxide, titanium dioxide	Colorant	0.00	0.00	0.00

Procedure

Phase A: Combine and blend. Phase B: Hydrate xanthan gum in glycerin, then add to phase A, blend well. Phase C: Combine, blend well using a propeller mixer. Add phase A/B to phase C under agitation (propeller mixer). Phase D: add to batch and blend. Phase E: various colors possible. Divide batch into smaller batches and add desired colors. Blend well.

Properties

Phase E can reflect whatever color blend one wants to add. pH 5.5