

**1760 - Sprayable Skin Lightening Lotion with SkinWhite MSH (100.00g)**

Ingredient	Function	Percent	Wgt (g)	Wgt (oz)	Vol (tsp.)
<b>Phase A</b>					
Sorbitan Stearate (sorbitan monostearate)	Emulsifier	2.00	2.00	0.07	0.40
Polysorbate 60 (polysorbate 60)	Emulsifier	3.00	3.00	0.11	0.60
Ethylhexyl Palmitate (ethylhexyl palmitate)	Emollient	15.00	15.00	0.53	3.00
<b>Phase B</b>					
Distilled Water (aqua)	Diluent	74.60	74.60	2.63	14.92
SkinWhite MSH (undecylenoyl phenylalanine)	Skin Lightener	2.00	2.00	0.07	0.40
Triethanolamine (triethanolamine)	pH Adjuster	0.60	0.60	0.02	0.12
Magnesium Aluminum Silicate (magnesium aluminum silicate)	Texturizer	1.00	1.00	0.04	0.20
<b>Phase C</b>					
GelMaker EMU (sodium acrylate / sodium acryloyldimethyl taurate copolymer, isohexadecane, polysorbate 80)	Emulsifier	0.60	0.60	0.02	0.12
<b>Phase D</b>					
Caprylyl Glycol EHG (caprylyl glycol, ethylhexylglycerin)	Anti-microbial	0.20	0.20	0.01	0.04
Phenoxyethanol SA (phenoxyethanol, sorbic acid, caprylyl glycol)	Preservative	0.80	0.80	0.03	0.16
Vitamin E Tocopherol (dl-alpha tocopherol)	Anti-oxidant	0.10	0.10	0.00	0.02
Fragrance Clean Linen	Fragrance	0.10	0.10	0.00	0.02

**Method**

1. Heat Phase A to 75C (hot water bath). 2. Melt SkinWhite MSH in DI Water at 75C. 3. Add Magnesium Aluminum Silicate to Phase B and homogenize to get rid of any clumps. 4. Mix Phase A into Phase B and blend well until uniform. 5. Add Phase C to Phase A/B and cool to 30C 6. Add Phase D and fill into spray bottle

**Properties**

Light sprayable lotion that absorbs nicely, gives a light, moisturized feel.