

**1772 - Anti Aging Skin Care "Even Complexion" (100.00g)**

Ingredient	Function	Percent	Wgt (g)	Wgt (oz)	Vol (tsp.)	
<b>Phase A</b>						
Diisooctyl Succinate	Diisooctyl Succinate	Emollient	5.00	5.00	0.18	1.00
CreamMaker BLEND (glyceryl stearate, PEG-100 stearate)		Emulsifier	4.00	4.00	0.14	0.80
Cetyl Alcohol (cetyl alcohol)		Thickener	2.00	2.00	0.07	0.40
Jjoba Oil, Organic (Simmondsia Chinensis [Jjoba] seed oil)		Emollient	2.00	2.00	0.07	0.40
Cetyl Palmitate (cetyl palmitate)		Emollient	2.00	2.00	0.07	0.40
Vitamin E Tocopherol (dl-alpha tocopherol)		Anti-oxidant	0.20	0.20	0.01	0.04
<b>Phase B</b>						
Distilled Water (aqua)		Diluent	75.20	75.20	2.65	15.04
SkinWhite MSH (undecylenoyl phenylalanine)		Skin-Lightener	2.00	2.00	0.07	0.40
<b>Phase C</b>						
GelMaker EMU (sodium acrylate / sodium acryloyldimethyl taurate copolymer, isohexadecane, polysorbate 80)		Thickener	2.20	2.20	0.08	0.44
<b>Phase D</b>						
Vitamin C MAP (magnesium ascorbyl phosphate)		Skin Lightener	3.00	3.00	0.11	0.60
<b>Phase E</b>						
Phenoxyethanol SA (phenoxyethanol, sorbic acid, caprylyl glycol)		Preservative	0.80	0.80	0.03	0.16
Fragrance Natural Rose		Fragrance	0.30	0.30	0.01	0.06
Caprylyl Glycol EHG (caprylyl glycol, ethylhexylglycerin)		Anti-Microbial	0.20	0.20	0.01	0.04
Triethanolamine (triethanolamine)		pH Adjuster	0.10	0.10	0.00	0.02
<b>Method</b>						
1. Melt SkinWhite MSH in hot water 2. Heat Phase A to 75C. 3. Add phase B to phase A under mixing. 4. Cool to 40C then add phase C. Homogenize. 5. Cool to room temperature then add phase D and blend well, homogenize for a short time. 6. Add phase E one by one blending well. Viscosity can be adjusted by adding GelMaker EMU. pH must be tested and adjusted to 7-7.5 using TEA.						
<b>Properties</b>						
Skin Lightening moisturizer with a combination of skin white MSH and Vitamin C MAP.						