

Certificate of Analysis
(Representative Sample Certificate)

Product Name: Blood Orange Fragrance
INCI Name: Fragrance
CAS Number: Not available
Lot Number: Not available (data may vary slightly with different lots or batches)
Expiration Date: 12 months from production date

Analysis/Method	Specifications	Results
Appearance/visual	Clear Liquid	Pass
Color/visual	Yellow	Pass
Odor/triangle test	To match standard	Pass
Specific gravity/@20° /20° C	1.000-1.010	1.005
Refractive Index/@25° C	1.470-1.480	1.4746
GC Analysis/std. capillary run	To match standard	Pass
Flash point/closed cup	170° F (82° C)	Pass

The above data were obtained using the test indicated and is subject to the deviation inherent in the test method. Results may vary under other test methods or conditions.

This report is not to be signed.

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitability & completeness of such information for his own particular use.