

Certificate of Analysis

(Representative Sample Certificate)

Product Name: Stearyl Alcohol Lot Number: Not available (data may vary slightly with

different lots or batches)

INCI Name: Stearyl Alcohol Expiration Date: 24 months from production date

CAS Number: 112-92-5

Characteristic	Specifications	Results
General Appearance @ 25°C	White pastilles or flakes	Pass
Identification	Conforms to NF 34	Pass
Iodine Value	2.0 MAX	0.11
Acid Value	2.0 MAX	0.11
Saponification Value	2.0 MAX	0.11
Hydroxyl Value	195.0-220.0	206.29
% Moisture	0.5% MAX	0.02%
(KF)		
Color	40 MAX	<40.0
(APHA)		
Melting Point	55.0-60.0°C	58.0
C14 & Lower	0.5% MAX	0.0%
C16	2.5% MAX	0.13%
C18	90.0-102.0%	99.55%
C20 & Higher	3.0 MAX	0.30
Residue on Ignition	0.1% MAX	0.04%
Total Unspecified Impurities	1.0% MAX	0.0%
Total Related Fatty Alcohols &	10.0% MAX	0.0%
Unspecified Impurities		

[&]quot;Certified in compliance with the terms of the US-Canada Organic Equivalency Arrangement. The above data was obtained using the test indicated and is subject to the deviation inherent in the test method. Results may vary under other test methods or conditions." This report is not to be signed. All data are as per our supplier.

<u>Disclaimer</u>: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy themself as to the suitableness & completeness of such information for their own particular use.