

Vitamin A (retinyl palmitate)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / March 26, 2012 / Rules and Regulation

PRODUCT & COMPANY IDENTIFICATION

Product Name:	Vitamin A (retinyl palmitate)
Synonyms:	Retinol, hexadecanoate
INCI Name:	retinyl palmitate, tocopherol
CAS Number:	79-81-2, 10191-41-0
Formula:	$C_{36}H_{60}O_2$
Product Form:	Liquid
Product Use:	Cosmetic use

Distributor: Address: Phone / Fax: Web: MakingCosmetics.com Inc. 10800 231st Way NE Redmond, WA 98053 (USA) 425-292-9502 / 425-292-9601 www.makingcosmetics.com

Emergency Telephone Number: 1-800-424-9300 (Chemtrec)

2 HAZARDS IDENTIFICATION

GHS Classification: GHS Signal Word:	Reproductive tox	icity: Ca	tegory 1B	
GHS Hazard Pictograms:				
GHS Hazard Statements:	H360: May damag	ge fertilit	y or the unborn child.	
GHS Precautionary Statements:	P201: Obtain spe	cial instr	uctions before use.	
	P202: Do not han	dle until	all safety precautions have been read and understood.	
	P280: Wear prote	ective glo	wes/protective clothing/eye protection/face protection.	
	P308 + P313: IF e	xposed o	r concerned: Get medical advice/attention.	
	P405: Store locke	d up.		
	P501: Dispose of	contents	/container to an approved waste disposal plant.	
Potential Health Hazards:	Eves: Not expect	ed to be	irritant.	
	Inhalation: Not e	xpected	to be irritant.	
	Skin: May cause r	nild skin	irritation.	
	Ingestion: May ca	use irrita	ation.	
NFPA Ratings (704):	Health	1*	Slight	
	Flammability	1	Slight	
	Reactivity	0	Minimal	
	Specific Hazard	N/A		
	•		*Chronic hazard	

3 COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS No.</u>	<u>Weight %</u>	<u>Molecular Weight</u>
Retinyl palmitate	79-81-2	90-100%	Not available
Tocopherol	10191-41-0	1-5%	Not available

4 FIRST AID MEASURES

Eyes:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
Inhalation:	Move to fresh air. Consult a physician after significant exposure.
Skin:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, consult a specialist.
Ingestion:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Obtain medical attention.
Most Important Symptoms &	Headache, irritability, tiredness, drowsiness, nausea, vomiting, signs of increased intracranial pressure, generalized desquamation of the skin (after ca. 24 hours)



Effects, Both Acute & **Delayed:**

5 FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media: Special protective equipment & precautions for firefighters: Flash Points: Specific hazards arising from the chemical:	May be combustible at high temperature. Use appropriate media (dry chemical, alcohol- resistant foam) for adjacent fire. Do not use high volume water jet. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots. Ca. 381°F (194°C) Closed containers may build up pressure when exposed to heat and should be cooled with water spray. See also Stability and Reactivity section.
6 ACCIDENTAL RELEASE MEASURE	ES
Personal precautions, protective equipment & emergency procedure	Evacuate personnel to safe areas. Ensure adequate ventilation. When the spilled material is cleaned up with an absorbent material, attention should be paid to the possibility of exothermic autooxidation (self-ignition) in the presence of air, even at room temperature: store in the absence of air (e.g., in water) and send for incineration (or dispose of in accordance with local regulations). Do not try to clean up the leak without proper protective equipment. See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions:	Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and material for containm and cleaning up:	Soak up with inert absorbent material (e.g., sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

HANDLING & STORAGE

Precautions for safe handling:	Take necessary action to avoid static electricity discharge. Product with burn under fire conditions. Handle substance within a predominantly closed system provided with extract ventilation. Avoid exposure - obtain special instructions prior to use. Dispose of rinse water in accordance with local and national regulations.
	Handle under inert gas. Smoking, eating, and drinking should be prohibited in the application area. See section 8 for recommendations on the use of personal protective equipment.
Conditions for safe storage, incl. any incompatibilities:	To maintain product quality, do not store in heat or direct sunlight and keep at a temperature below 15°C. Keep under inert gas. Keep container tightly closed and dry. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from heat and incompatible materials (see section 10 for incompatibilities).

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Component **Retinyl Palmitate** **Exposure Limits** 0.37 mg/m³

0.09 mg/m³

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work. **REL:** Recommended Exposure Limit

PEL: Permissible Exposure Limit

Entity Basis DSM Internal Limit (est. for TWA men) TWA DSM Internal Limit (est. for women)

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels CEIL: Ceiling

Personal Protection:

Safety glasses with side shields should be worn. Eyes: Inhalation: In the case of vapor formation, use a respirator with an approved filter.

SDS (Safety Data Sheet)

Body:

Glove material: for example, nitrile rubber. Consider the hazard characteristics of this product and any special workplace conditions when selecting the appropriate type of protective glove. Choose body protection according to the amount and concentration of the dangerous substance in the workplace.

Other:

When using do not eat, drink, or smoke. Avoid contact with skin, eyes, and clothing. Use good personal hygiene practices. Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Odor: Odor Threshold: Color:

Molecular Weight:

pH Direct @ 25°C:

Boiling Point:

Melting Point:

Viscosity:

Density @ 20°C:

Partition Coefficient: n-

octanol/water @ 25°C:

Oxidizing Properties:

Solubility in Other Solvents:

No data available Yellow-brownish No data available

Characteristic

No data available No data available Ca. 26°C 0.92 g/cm3 Log Pow 15.5 (calculated)

Yellow-brownish oily liquid

Not determined Not oxidizing Ethanol: slightly soluble Ether: soluble Peanut oil: soluble Vapor Pressure @ 25°C: Vapor Density: Evaporation Rate: Flammability:

Upper/lower Explosive Limit: Flash Point: Specific Gravity: Solubility in Water: Auto-Ignition Temperature: Decomposition Temperature:

Explosive Properties: Freezing Point: Molecular Weight: <0.001 hPa (calculated) Not determined Not determined The substance does not emit flammable gases in contact with water Not determined Ca. 381°F (194°C) No data available <0.0001 mg/L (insoluble) >482°F (>250°C) No data available

Not explosive No data available 524.87 g/mol

10 STABILITY AND REACTIVITY

Reactivity:	No hazard to be specially mentioned.
Chemical Stability:	Stable under recommended storage conditions.
Hazardous Polymerization:	In case of extensive air contact (e.g., soaked rags, moistened clothes) an exothermic autooxidation (self-ignition) is possible.
Conditions to Avoid:	Exposure to air. Heat. Exposure to light. Exposure to moisture.
Incompatible Materials:	Oxidizing agents. Strong acids and strong bases. Copper. Copper alloys. Iron. Iron salts.
Hazardous Decomposition Products:	No decomposition if used as directed.

I TOXICOLOGICAL INFORMATION

Acute Toxicity:	No data available
Skin:	Mild skin irritation (OECD Test Guideline 404)
	No phototoxic skin reaction.
Eves:	No eve irritation (OECD Test Guideline 405)
Respiratory:	No data available
Ingestion:	LD50: >2500 mg/kg
5	LD50: 6060 mg/kg
Carcinogenicity:	Not classified as carcinogen by IARC, OSHA, or NTP.
Teratogenicity:	Embryotoxic
	Teratogenic
Germ Cell Mutagenicity:	Not mutagenic (Ames Test)
- <i>i</i>	Not genotoxic (In vivo micronucleus test)
Embryotoxicity:	No data available
Specific Target Organ Toxicity:	The substance or mixture is not classified as a specific target organ toxicant, single exposure.
Reproductive Toxicity:	No data available
Respiratory/Skin Sensitization:	No data available
Corrosivity:	No data available
Sensitization:	Did not cause sensitization (Maximization Test, OECD Test Guideline 406) (Local Lymph Node Assay (LLNA), OECD Test Guideline 429)

Irritation:	No photoallergenic skin reaction. No data available
Repeated Dose Toxicity:	NOAEL: 1.43-3.32 mg/kg bw/d
	Test substance: retinyl acetate
Achievicity	Sub-chronic toxicity study (90 day)
Experience with Human	RDA (Recommended Daily Allowance) 0.8 mg nure vitamin A (retinal) per day est, for men
Exposure:	RDA (Recommended Daily Allowance) ca. 0.7 mg pure vitamin A (retinol) per day est. for men.
TZ ECOLOGICAL INFORMATION	
Ecotoxicity	
Aquatic Vertebrate:	LC50: >10,000 mg/L (Leuciscus idus) (96h)
	Test substance: retinyl propionate (nominal concentration) (DIN 38412)
Aquatic Invertebrate:	ErC50: 153 mg/L (Desmodesmus subspicatus) (72h) (nominal concentration) (DIN 38412)
	ErC10: 4.4 mg/L (72h) (nominal concentration)
Terrestrial:	EC20: >1000 mg/L (activated sludge) (72h) (nominal concentration) (OECD Test Guideline 209)
Persistence and Degradability:	Not readily biodegradable. 40-50% (28d) (OECD Test Guideline 301F)
	Photodegradation: Decomposes rapidly in contact with light (55min)
Bioaccumulative Potential:	Bioconcentration factor (BCF): 3.16 (calculated value). Accumulation is aquatic organisms is
	unitikely.
Mobility in Soil:	Distribution among environmental compartments: Advantion Soil Log Koc 9.0 (calculated value)
PBT and vPvB Assessment:	This substance/mixture contains no components considered to be either persistent
T DT and VT VD Assessment.	bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher.
Other Adverse Effects:	40 CFR Protection of Environment: Part 82 Protection of Stratospheric Ozone - CAA Section 602
	Class I Substances. This product neither contains, nor was manufactured with a Class I or Class II
	ODS as defined by the US Clean Air Act Section 602 (40 CFR 82, Subpt. A, App A+ B).
Additional Ecological	May cause long-term adverse effects in the aquatic environment.
Information:	
13 DISPOSAL CONSIDERATION	5
Waste Residues: User mu	ist determine if any wastes generated exhibit hazardous characteristics as per 40 CFR Part 261 or
other na	itional/local legislation.

	other national/local legislation.
	Organic materials (e.g., rags, paper, wood) which are soaked with this product can heat up and catch fire in
	the presence of air, even at room temperature: store in the absence of air (e.g., in water) and send it for
	incineration (or dispose of in accordance with local regulations).
	Discharge into the environment must be avoided. Do not contaminate ponds, waterways, or ditches with
	chemical or used container.
	Do not dispose of waste into sewer.
	Offer surplus and non-recyclable solutions to a licensed disposal company.
Product Containers:	Dispose of as unused product. Do not reuse empty containers. Users should review their operations in terms
	of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if
	necessary, before disposing of waste product container.

The information in section 13 is for the product as shipped. Use and/or alterations to the product may change the characteristics of the material and alter the waste classification and proper disposal methods

14 TRANSPORT INFORMATION

DOT (Dept. of Transportation, USA): TDG (Transportation of Dangerous Goods, Canada): IMDG (International Maritime Dangerous Goods): IATA (International Air Transport Association): ICAO (International Civil Aviation Organization): Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: No data available Not regulated as dangerous goods Not regulated as dangerous goods Not regulated as dangerous goods No data available Not applicable for product as supplied



SDS (Safety Data Sheet)

49 CFR:

Not regulated as dangerous goods

15 REGULATORY INFORMATION

TSCA Inventory Status:	No substances are subject to a Significant New Use Rule.
	No substances are subject to TSCA 12(b) export notification requirements.
DSCL (EEC):	No data available
WHMIS (Canada):	No data available
EU EINECS/ELINCS/NLP:	No data available
China IECSC:	No data available
China IECIC (06.30.2014):	No data available
Australia AICS:	No data available
Japanese MITI:	No data available
Philippines PICCS:	No data available
Korea KECL:	No data available
CERCLA Reportable	This material does not contain any components with a CERCLA RQ.
Quantity:	
SARA 304 EHS Reportable	This material does not contain any components with a Section 304 Extremely Hazardous Substance
Quantity:	RQ.
SARA 311/313 Hazards:	Chronic health hazard
SARA 302:	This material does not contain any components with a Section 302 EHS TPQ.
SARA 313:	This material does not contain any chemical components with known CAS numbers that exceed the
Clean Air Acts	threshold (De Minins) reporting levels established by SARA Title III, Section 313.
Clean Air Act:	US Clean Air Act Section 602 (40 CFR Subpt. A, App. A+B).
	This product does not contain any hazardous air pollutants (HAP), as defined by the US Clean Air Act
	Section 112 (40 CFK 01). This product does not contain any chemicals listed under the US Clean Air Act Section 112(r) for
	Accidental Release Prevention (40 CFR 68.130, Subpart F).
	This product does not contain any chemicals listed under the US Clean Air Act Section 111 SOCMI
	Intermediate of Final VO'S (40 CFR 60.489).
	311. Table 116.44.
Clean Water Act:	This product does not contain any Hazardous Substances listed under the US Clean Water Act. Section
	311, Table 117.3.
	This product does not contain any toxic pollutants listed under the US Clean Water Act Section 307.
Massachusetts RTK:	No components are subject to the Massachusetts Right to Know Act.
Pennsylvania RTK:	Retinyl Palmitate (CAS 79-81-2)

16 OTHER INFORMATION

Revision Date:18-Aug-2022Compliance:This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication
Standard 29 CFR 1910.1200Disclaimer:This information relates only to the specific material designated and may not be valid for such material used in
combination with any other materials or in any other process. Such information is to be the best of the
company's knowledge and believed accurate and reliable as of the date indicated. However, no representation,
warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and
we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the
user's responsibility to satisfy himself as to the suitableness & completeness of such information for his own
particular use.