

## Facial Firming Serum Base


Safety Data Sheet according to Federal Register / Vol. 77, No. 58 /  
March 26, 2012 / Rules and Regulation

Revision Date: 30-Sep-2025  
Supersedes: 08-Jul-2022

### 1 PRODUCT & COMPANY IDENTIFICATION

<b>Product Name:</b>	Facial Firming Serum Base	<b>Distributor:</b>	MakingCosmetics Inc.
<b>Synonyms:</b>	No data available	<b>Address:</b>	10800 231 <sup>st</sup> Way NE Redmond, WA 98053 (USA)
<b>INCI Name:</b>	Water (Aqua), Alcohol, Dimethylaminoethanol Tartrate (DMAE Bitartrate), Simmondsia Chinensis (Jojoba) Seed Oil, Glycerin, Cetearyl Alcohol, Sodium Bicarbonate, Polysorbate 60, Aspalathus Linearis(Rooibos) Leaf/Stem Extract, Camellia Sinensis (Green Tea) Leaf Extract, Camellia Sinensis (White Peony Tea) Leaf Extract, Salix Alba (White Willow) Bark Extract, Aloe Barbadensis (Aloe Vera) Leaf Juice, Dimethyl Sulfone, Sodium Hyaluronate, Niacinamide, Tocopherol, Xanthan Gum		
<b>Formula:</b>	No data available	<b>Phone / Fax:</b>	425-292-9502 / 425-292-9601
<b>Product Form:</b>	Solid (Paste)	<b>Web:</b>	<a href="http://www.makingcosmetics.com">www.makingcosmetics.com</a>
<b>Product Use:</b>	Cosmetic use	<b>Emergency Telephone Number:</b>	1-800-424-9300 (Chemtrec)

### 2 HAZARDS IDENTIFICATION

Classification:	Flammable Liquid - Category 2		
Signal Word:	Eye Irritant - Category 2A		
Hazard Pictograms:			
Hazard Statements:	H225: Highly flammable liquid and vapor. H319: Causes serious eye irritation.		
Precautionary Statements:	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. P337 + P313: If eye irritation persists, get medical advice/attention. P264: Wash hands thoroughly after handling. P210: Keep away from heat hot surfaces, sparks, open flames, and other ignition sources. No smoking. P280: Wear protective gloves/protective clothing/eye protection/face protection. P403 + P235: Store in a well-ventilated place. Keep cool. P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.		
Potential Health Hazards:	Eyes: Causes serious eye irritation. Inhalation: Prolonged exposure may cause irritation. Skin: Prolonged exposure may cause irritation. Ingestion: May cause nausea, vomiting, and diarrhea. Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.		
Other Hazards:			
NFPA Ratings (704):	Health	N/A	N/A
	Flammability	N/A	N/A
	Reactivity	N/A	N/A
	Specific Hazard	N/A	

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>Weight %</u>	<u>Component</u>	<u>Weight %</u>
Water (Aqua)	<100%	Camellia Sinensis (Green Tea) Leaf Extract	<10%
Alcohol	<20%	Camellia Sinensis (White Peony Tea) Leaf Extract	<10%
Dimethylaminoethanol Tartrate (DMAE Bitartrate)	<10%	Salix Alba (White Willow) Bark Extract	<0.1%
Simmondsia Chinensis (Jojoba) Seed Oil	<10%	Aloe Barbadensis (Aloe Vera) Leaf Juice	<0.1%
Glycerin	<10%	Dimethyl Sulfone	<1%
Cetearyl Alcohol	<10%	Sodium Hyaluronate	<0.1%
Sodium Bicarbonate	<10%	Niacinamide	<0.1%
Polysorbate 60	<10%	Tocopherol	<1%
Aspalathus Linearis (Rooibos) Leaf/Stem Extract	<10%	Xanthan Gum	<1%

## 4 FIRST AID MEASURES

<b>Eyes:</b>	Irrigate eyes with a heavy stream of water for at least 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Obtain medical attention. Symptoms include tearing, redness, and/or swelling.
<b>Inhalation:</b>	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
<b>Skin:</b>	If reaction occurs rinse with mild soap and plenty of water. Obtain medical attention if irritation develops or persists.
<b>Ingestion:</b>	Do Not Induce Vomiting. Never give anything by mouth to an unconscious person. Rinse mouth. Obtain medical attention.

## 5 FIRE-FIGHTING MEASURES

<b>Suitable (and unsuitable) extinguishing media:</b>	May be combustible at high temperatures. Use appropriate media (water spray, dry chemical, foam, carbon dioxide) for surrounding environment and adjacent fire. Do not use a heavy water stream, as it may spread fire.
<b>Special protective equipment &amp; precautions for firefighters:</b>	Wear self-contained breathing apparatus and full protective clothing, including eye protection and boots. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.
<b>Specific hazards arising from the chemical:</b>	Highly flammable liquid and vapor. May form flammable or explosive vapor-air mixture but the product is not listed as explosive. Hazardous reactions will not occur under normal conditions. See also Stability and reactivity section.

## 6 ACCIDENTAL RELEASE MEASURES

<b>Personal precautions, protective equipment &amp; emergency procedures:</b>	Do not get in eyes. No smoking. Evacuate unnecessary personnel. Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Do not try to clean up the leak without proper protective equipment. See section 8 for recommendations on the use of personal protective equipment.
<b>Environmental precautions:</b>	Avoid liquid release into sewers/public water/environment. Notify environmental authorities in case of leak.
<b>Methods and material for containment and cleaning up:</b>	Contain any spills with dikes or absorbents to prevent migration. Dispose of waste safely. Dispose of absorbed material in accordance with the regulations.

## 7 HANDLING & STORAGE

<b>Precautions for safe handling:</b>	Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and when leaving work. Avoid contact with eyes. Avoid breathing vapors. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. Use good personal hygiene practice. See section 8 for recommendations on the use of personal protective equipment.
<b>Conditions for safe storage, incl. any incompatibilities:</b>	Comply with applicable regulations. Keep container closed when not in use. Store in a dry, cool place. Keep away from direct sunlight. Store away from incompatible materials (see section 10 for incompatibilities).

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Component</u>	<u>Exposure Limits</u>	<u>Basis</u>	<u>Entity</u>
Ethyl Alcohol (CAS: 34-17-5)	1000 ppm	STEL	ACGIH
	1900 mg/m <sup>3</sup>	TWA-REL	NIOSH
	1000 ppm	TWA-REL	NIOSH
	1900 mg/m <sup>3</sup>	TWA-PEL	OSHA
	1000 ppm	TWA-PEL	OSHA

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes.

IDLH: Immediately Dangerous to Life or Health

WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

### Personal Protection:

<b>Eyes:</b>	Wear chemical safety goggles.
<b>Inhalation:</b>	Ensure adequate ventilation, especially in confined areas. If cases of insufficient ventilation, wear suitable approved respiratory equipment.
<b>Body:</b>	Wear protective gloves and chemically resistant full protective clothing.
<b>Other:</b>	Use good personal hygiene practices. Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Liquid	<b>Vapor Pressure:</b>	No data available
<b>Odor:</b>	Alcohol, Rooibos	<b>Vapor Density:</b>	No data available
<b>Odor Threshold:</b>	No data available	<b>Evaporation Rate:</b>	No data available
<b>Color:</b>	Light yellow	<b>Flammability:</b>	No data available
<b>Molecular Weight:</b>	No data available	<b>Upper/lower Explosive Limit:</b>	No data available
<b>pH:</b>	4.7 - 5.1	<b>Flash Point:</b>	72°F (22.2°C) closed cup
<b>Boiling Point:</b>	No data available	<b>Specific Gravity:</b>	No data available
<b>Melting/Freezing Point:</b>	No data available	<b>Water Solubility:</b>	No data available
<b>Relative Density:</b>	No data available	<b>Auto-Ignition Temperature:</b>	No data available
<b>Partition Coefficient: n-octanol/water:</b>	No data available	<b>Decomposition Temperature:</b>	No data available
<b>Viscosity:</b>	2800 - 3700cPS	<b>Explosive Properties:</b>	No data available
<b>Oxidizing Properties:</b>	No data available	<b>Metal Corrosion:</b>	No data available

## 10 STABILITY AND REACTIVITY

<b>Reactivity:</b>	Hazardous reactions will not occur under normal conditions.
<b>Chemical Stability:</b>	Stable under recommended handling and storage conditions.
<b>Hazardous Polymerization:</b>	Hazardous polymerization will not occur.
<b>Conditions to Avoid:</b>	Direct sunlight, extremely high temperature or low temperatures and incompatible materials.
<b>Incompatible Materials:</b>	Strong acids, strong bases, strong oxidizers.
<b>Hazardous Decomposition Products:</b>	No data available.
<b>Possible Hazardous Reactions:</b>	No data available.

## 11 TOXICOLOGICAL INFORMATION

<b>Acute Toxicity:</b>	Not classified.
<b>Skin:</b>	Not classified. Prolonged contact may cause irritation.
<b>Eyes:</b>	Causes serious eye irritation. Symptoms include stinging, tearing, redness, and/or swelling.
<b>Inhalation:</b>	Not classified. Prolonged exposure may cause irritation.
<b>Ingestion:</b>	Ingestion may cause adverse effects.
<b>Carcinogenicity:</b>	Not classified.
<b>Teratogenicity:</b>	No data available.

<b>Germ Cell Mutagenicity:</b>	Not classified.
<b>Specific Target Organ Toxicity:</b>	Not classified.
<b>Reproductive Toxicity:</b>	Not classified.
<b>Sensitization:</b>	Not classified.
<b>Aspiration Hazard:</b>	Not classified.

## 12 ECOLOGICAL INFORMATION

<b>Ecotoxicity:</b>	Not classified.
<b>Aquatic Vertebrate:</b>	No data available.
<b>Aquatic Invertebrate:</b>	No data available.
<b>Terrestrial:</b>	No data available.
<b>Persistence and Degradability:</b>	Not established.
<b>Bioaccumulative Potential:</b>	Not established.
<b>Mobility in Soil:</b>	No data available.
<b>PBT and vPvB Assessment:</b>	No data available.
<b>Other Adverse Effects:</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## 13 DISPOSAL CONSIDERATIONS

<b>Waste Residues:</b>	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies, if necessary, before disposing of waste product.
<b>Product Containers:</b>	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies, if necessary, before disposing of waste product container.

The information in section 13 is for the product as shipped. Use and/or alterations to the product may change the characteristics of the material and alter the waste classification and proper disposal methods

## 14 TRANSPORT INFORMATION

<b>DOT (Dept. of Transportation, USA):</b>	Proper Shipping Name: ETHANOL SOLUTIONS N.O.S. Hazard Class: 3 Identification Number: UN1170 Label Codes: 3 Packing Group: II
<b>TDG (Transportation of Dangerous Goods, Canada):</b>	No data available.
<b>IMDG (International Maritime Dangerous Goods):</b>	Proper Shipping Name: ETHANOL SOLUTIONS N.O.S. Hazard Class: 3 Identification Number: UN1170 Label Codes: 3 Packing Group: II
<b>IATA (International Air Transport Association):</b>	Proper Shipping Name: ETHANOL SOLUTIONS N.O.S. Hazard Class: 3 Identification Number: UN1170 Label Codes: 3 Packing Group: II
<b>ICAO (International Civil Aviation Organization):</b>	No data available.

## 15 REGULATORY INFORMATION

<b>TSCA Inventory Status:</b>	All chemical substances in this product are listed on the United States TSCA inventory or are otherwise exempt from inventory status.
<b>MA Right to Know:</b>	Ethyl Alcohol (CAS: 64-17-5).
<b>NJ Right to Know:</b>	Ethyl Alcohol (CAS: 64-17-5).
<b>PA Right to Know:</b>	Ethyl Alcohol (CAS: 64-17-5).
<b>Rhode Island Right to Know:</b>	Ethyl Alcohol (CAS: 64-17-5).

### 16 OTHER INFORMATION

**Revision Date:** 30-Sep-2025

**Compliance:** This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

**Disclaimer:** This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitability & completeness of such information for his own particular use.