

Sodium Cocoyl Isethionate


Safety Data Sheet according to Federal Register / Vol. 77, No. 58 /
March 26, 2012 / Rules and Regulation

Revision Date: 10-Jul-2025
Supersedes: 13-Sep-2022

1 PRODUCT & COMPANY IDENTIFICATION

Product Name:	Sodium Cocoyl Isethionate	Distributor:	MakingCosmetics Inc.
Synonyms:	No data available	Address:	10800 231 st Way NE Redmond, WA 98053 (USA)
INCI Name:	Sodium Cocoyl Isethionate (and) Coconut Acid (and) Sodium Isethionate (and) Water	Phone / Fax:	425-292-9502 / 425-292-9601
CAS Number:	61789-32-0, 61788-47-4, 1562-00-1, 7732-18-5	Web:	www.makingcosmetics.com
Formula:	No data available		
Product Form:	Solid		
Product Use:	Cosmetic use	Emergency Telephone Number:	1-800-424-9300 (Chemtrec)

2 HAZARDS IDENTIFICATION

GHS Classification:	Eye irritation Category 2A; H319 Acute aquatic toxicity Category 2; H401 Chronic aquatic toxicity Category 3; H412		
GHS Signal Word:	WARNING!		
GHS Hazard Pictograms:			
GHS Hazard Statements:	H319: Causes serious eye irritation. H401: Toxic to aquatic life. H412: Harmful to aquatic life with long lasting effects.		
GHS Precautionary Statements:	P264: Wash hands thoroughly after handling. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P317: If eye irritation persists: Get medical help. P501: Dispose of contents/container in accordance with local/regional/national/international regulations.		
Potential Health Hazards:	Eyes: Causes serious eye irritation Inhalation: May be an irritant. Skin: May be an irritant. Ingestion: May cause nausea, vomiting, and diarrhea.		
NFPA Ratings (704):	Health	N/A	N/A
	Flammability	N/A	N/A
	Reactivity	N/A	N/A
	Specific Hazard	N/A	

3 COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS No.</u>	<u>Weight %</u>	<u>Molecular Weight</u>
Sodium Cocoyl Isethionate	61789-32-0	≥85%	Not Available
Coconut Acid	61788-47-4	≤10%	Not Available
Sodium Isethionate	1562-00-1	≤5%	Not Available
Water	7732-18-5	≤1.5%	Not Available

4 FIRST AID MEASURES

Eyes:	Causes serious eye irritation. Flush with water for at least 15 minutes under running water with eyelids held open. Consult the doctor, if necessary. Treat symptomatically.
--------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Inhalation:	Remove to fresh air. Seek medical attention, if necessary. Treat symptomatically.
Skin:	Product is slightly irritating. Wash with soap and water for at least 15 minutes. Seek medical advice, if necessary. Treat symptomatically.
Ingestion:	Do Not Induce Vomiting. Never give anything by mouth to an unconscious person. Immediately rinse mouth and then drink water (two glasses at most). If feeling unwell, after accidental swallowing, consult the doctor. Treat symptomatically.

5 FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:	May be combustible at high temperatures. Use appropriate media (dry chemical powder, carbon dioxide, water spray, foam) for surrounding environment and adjacent fire. Do not use high volume water jet, which may spread fire
Special protective equipment & precautions for firefighters:	Wear self-contained breathing apparatus and full protective clothing, including eye protection and boots.
Flash Points:	Not applicable.
Specific hazards arising from the chemical:	Development of hazardous combustion products like oxides of carbon and sulfur possible in the event of fire. See also Stability and reactivity section.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment & emergency procedures:	Wash hands after exposure with the product. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Do not try to clean up the leak without proper protective equipment. See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions:	Avoid liquid release into sewers/public water/environment. Notify environmental authorities in case of leak.
Methods and material for containment and cleaning up:	Collect in suitable and properly labeled container. Avoid dust formation. Dispose of collected material in accordance with regulations. Dispose of absorbed material in accordance with the regulations.

7 HANDLING & STORAGE

Precautions for safe handling:	Do not use hooks for handling bags. Use personal protective equipment while charging the material. Take precautionary measures against electrostatic discharges. To avoid dusting, keep minimum distance between bag and the hopper. Use proper dust collection system to avoid particle contamination in the production area. Use only with adequate ventilation. Follow safe procedures for loading and un-loading of product. Use good personal hygiene practice. See section 8 for recommendations on the use of personal protective equipment.
Conditions for safe storage, incl. any incompatibilities:	Store the material in a clean, dry place at below $\leq 113^{\circ}\text{F}$ ($\leq 45^{\circ}\text{C}$) away from direct heat and sunlight. Keep the bags tightly closed. Soft, easily breakable agglomerates may be formed on storage. Once the bag is opened, consume the product within a week. In original sealed condition, when stored as suggested the shelf life of the product is two years. Product will not deteriorate, if stored at $\leq 113^{\circ}\text{F}$ ($\leq 45^{\circ}\text{C}$). However, it may hydrolyze at temperature 212°F (100°C) and in highly alkaline/acidic condition. Stacking of paper bags: Palletized: 1+1 during transport and single pallet during storage, on ground or in rack. Non-palletized: 1+7 while transport (only in case of domestic/local dispatches) and no stacking during storage. Stacking of Jumbo bag (with crate): 1+1, both while transport as well as during storage. Suitable packing material includes paper bags with HDPE liner or jumbo bags. Store away from incompatible materials (see section 10 for incompatibilities).

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Component</u>	<u>Exposure Limits</u>	<u>Basis</u>	<u>Country</u>
Sodium Cocoyl Isethionate	Not available		

TWA: Time Weighted Average over 8 hours of work.
 TLV: Threshold Limit Value over 8 hours of work.
 REL: Recommended Exposure Limit
 PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes.
 IDLH: Immediately Dangerous to Life or Health
 WEEL: Workplace Environmental Exposure Levels
 CEIL: Ceiling

Personal Protection:

Eyes: Wear safety goggles.
Inhalation: Dust mask required when dust is generated.
Body: Wear suitable rubber gloves, an apron, and shoes.
Other: Use good personal hygiene practices. Proper plant design, technical measures and working operations should minimize human exposure. Do not discharge into drains, surface water, or ground water. Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Needles	Vapor Pressure:	No data available
Odor:	Fatty	Vapor Density:	No data available
Odor Threshold:	No data available	Evaporation Rate:	No data available
Color:	Off-white to pale yellow	Flammability:	Not flammable
Molecular Weight:	No data available	Upper/lower Explosive Limit:	Not applicable
pH	5.0-7.0 (5% aqueous dispersion)	Flash Point:	Not applicable
Boiling Point:	>572°F (>300°C)	Specific Gravity:	No data available
Melting Point:	≥392°F (≥200°C)	Water Solubility:	Moderately soluble (100-1000 mg/L) 5% solution is milky at room temp.
Bulk Density:	580 - 640 g/l	Auto-Ignition Temperature:	No self-heating up to 400°C, (indicates substance doesn't self-ignite)
Relative Density:	No data available	Decomposition Temperature:	572°F (>300°C)
Partition Coefficient: n-octanol/water at 20°C:	Log Pow: -0.41 (calculated)	Explosive Properties:	Not explosive
Viscosity:	Not applicable	Oxidizing Properties:	Not oxidizing

10 STABILITY AND REACTIVITY

Reactivity:	No hazardous reactions, if stored and handled as prescribed (see section 7).
Chemical Stability:	Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Hazardous Polymerization:	No data available.
Conditions to Avoid:	Sunlight, heat, flame and other sources of ignition.
Incompatible Materials:	Do not subject to acids, alkali and oxidizing agents.
Hazardous Decomposition Products:	Will not form, if stored or handled as prescribed.
Possible Hazardous Reactions:	Not anticipated when used or handled as prescribed.

11 TOXICOLOGICAL INFORMATION

Acute Toxicity:	No data available.
Skin:	Slightly irritant.
Eyes:	Causes eye irritation.
Inhalation:	No data available.
Ingestion:	(Rat, male/female) Acute Oral Toxicity; LD50: > 2000 mg/kg bw (OECD Guideline 401).
Likely Routes of Exposure:	Dermal, inhalation and oral.
Carcinogenicity:	No data available. Carcinogenicity not expected.
Likely Route of Exposure:	Dermal, inhalation and oral.
Germ Cell Mutagenicity:	Mammalian cell gene mutation assay (In vitro): Negative (According to OECD Guideline 476). Bacterial reverse mutation assay (In vitro): Negative (Equivalent or similar to OECD Guideline 471). Mammalian chromosome aberration test (In vitro): Negative (Equivalent or similar to OECD Guideline 473). Mammalian cell micronucleus test (In vitro): Negative (According to OECD Guideline 487).
Single Exposure (STOT):	Not classified.
Repeated Exposure (STOT):	Not classified. (Rat, Male/Female, Oral) Repeated dose toxicity: NOAEL: ≥ 1000 mg/kg bw/day (nominal) (Equivalent or similar to OECD Guideline 407) Repeated dose toxicity: (Rat, Dermal):

Reproductive Toxicity:	NOAEL: ≥ 2070 mg/kg bw/day(male/female) (According to OECD Guideline 410). Not classified. (Rat, Male/Female) Toxicity to reproduction; NOAEL: 1000 mg/kg bw/day. NOEL: 1000 mg/kg bw/day (male/female) (According to OECD Guideline 421) Read-across approach. Developmental toxicity/maternal toxicity: NOEL: 1000 mg/kg bw/day (According to OECD Guideline 414) Read-across approach.
Aspiration Hazard:	Not classified.
Skin Corrosion/Irritation:	Not classified. Slightly irritant (Equivalent or similar to OECD Guideline 404).
Serious Eye Damage/Irritation:	(Rabbit) Irritating (OECD Guideline 405).
Skin Sensitization:	(Guinea pig) Not sensitizing (According to EU Method B.6 / OECD Guideline 406).

12 ECOLOGICAL INFORMATION

Ecotoxicity:	No data available.
Aquatic Vertebrate:	COMPONENT: Fatty acids, coco, 2-sulfoethyl esters, sodium salts: (Oncorhynchus mykiss) Short term toxicity: LC ₅₀ ; 96 hours: > 25 mg/l (Equivalent or similar to OECD Guideline 203). COMPONENT: 2,6-di-tert-butyl-p-cresol: (Fish) Short term toxicity: LC ₅₀ ; 96 hours: 0.199 mg/l (QSAR method). (Oryzias latipes) Long term toxicity: NOEC; 30 days: 0.053 mg/l (OECD Guideline 210).
Aquatic Invertebrate:	COMPONENT: Fatty acids, coco, 2-sulfoethyl esters, sodium salts (Daphnia magna) Short term toxicity: EC ₅₀ ; 48 hours: > 32 mg/l. NOEC; 48 hours: ≥ 32 mg/l (OECD Guideline 202). COMPONENT: 2,6-di-tert-butyl-p-cresol: (Daphnia magna) Short term toxicity: EC ₅₀ 8 hours: 0.48 mg/l (OECD Guideline 202/EU Method C.2). (Daphnia magna) Long term toxicity: NOEC; 21 days: 0.069 mg/l (OECD Guideline 211).
Aquatic Algae:	COMPONENT: Fatty acids, coco, 2-sulfoethyl esters, sodium salts (Pseudokirchneriella subcapitata) EC ₅₀ ; 72 hours: ≥ 1.87 mg/l. NOEC; 72 hours: ≥ 0.31 mg/l (OECD Guideline 201). COMPONENT: 2,6-di-tert-butyl-p-cresol: EC ₅₀ ; 96 hours: 0.758 mg/l (QSAR method) (Pseudokirchneriella subcapitata) EC ₅₀ ; 72 hours: > 0.24 mg/l (based on growth rate) NOEC; 72 hours: 0.24 mg/l (based on growth rate) (OECD Guideline 201).
Persistence and Degradability:	COMPONENT: Fatty acids, coco, 2-sulfoethyl esters, sodium salts: Readily biodegradable; 78% after 28 days (O ₂ consumption) OECD Guideline 301 D (Closed Bottle Test). COMPONENT: 2,6-di-tert-butyl-p-cresol: Not readily biodegradable; 4.5% BOD/ThOD after 28 days (Equivalent or similar to OECD Guideline 301 C).
Bioaccumulative Potential:	COMPONENT: Fatty acids, coco, 2-sulfoethyl esters, sodium salts: BCF: 58 (calculated using the BCFBAF 3.0 submodule of Epiwin 4.1.) Log Pow: -0.41, a low potential for bioaccumulation is expected.
Mobility in Soil:	COMPONENT: 2,6-di-tert-butyl-p-cresol: BCF: 598.4 (EPI-Suite, BCFWIN v2.17). COMPONENT: Fatty acids, coco, 2-sulfoethyl esters, sodium salts: Adsorption co-efficient: Koc: 1451 l/kg (OECD Guideline 106/ Equivalent or similar to EPA OPPTS 835.1110 (Activated Sludge Sorption Isotherm)). COMPONENT: 2,6-di-tert-butyl-p-cresol: Adsorption coefficient: Koc: 23030 (EPI-Suite, EPA (USA) / PCKOCWIN v1.66) Adsorption coefficient: Koc: 14750 (QSAR estimation: KOCWIN v2.00: Koc estimate from MCI) BHT is expected to adsorb to the solid soil phase.
PBT and vPvB Assessment:	COMPONENT: Fatty acids, coco, 2-sulfoethyl esters, sodium salts: Not considered to be PBT or vPvB.
Other Adverse Effects:	COMPONENT: 2,6-di-tert-butyl-p-cresol: Not considered to be PBT or vPvB. No data available.

13 DISPOSAL CONSIDERATIONS

Waste Residues:	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies, if necessary, before disposing of waste product.
Product Containers:	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies, if necessary, before disposing of waste product container.

The information in section 13 is for the product as shipped. Use and/or alterations to the product may change the characteristics of the material and alter the waste classification and proper disposal methods

14 TRANSPORT INFORMATION

DOT (Dept. of Transportation, USA):	No data available.
TDG (Transportation of Dangerous Goods, Canada):	No data available.
IMDG (International Maritime Dangerous Goods):	Not classified as dangerous goods as per transport regulation.
IATA (International Air Transport Association):	Not classified as dangerous goods as per transport regulation.
ICAO (International Civil Aviation Organization):	Not classified as dangerous goods as per transport regulation.
ADN (Inland Waterway Transportation):	Not classified as dangerous goods as per transport regulation.
ADR/RID (Road and Rail Transportation):	Not classified as dangerous goods as per transport regulation.

15 REGULATORY INFORMATION

TSCA Inventory Status:	No data available.
Chemical Safety Assessment:	No Chemical Safety Assessment has been carried out for the product.
Canada (DSL):	No data available.
EU (EINECS):	No data available.
China (IECSC):	No data available.
Australia (AICS):	No data available.
Japan (ENCS):	No data available.
Philippines (PICCS):	No data available.
Korea (KECI):	No data available.
New Zealand (NZIoC):	No data available.

16 OTHER INFORMATION

Revision Date:	10-Jul-2025
Compliance:	This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200
Disclaimer:	This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitability & completeness of such information for his own particular use.