

Certificate of Analysis

(Representative Sample Certificate)

Product Name: Sulfosuccinate
INCI Name: Water, Disodium Lauryl Sulfosuccinate
CAS Number: 7732-18-5, 68815-56-5
Lot Number: Not available (data may vary slightly with different lots or batches)
Expiration Date: 24 months from production date

Property	Specification	Analysis
Appearance	White to pale yellow liquid	Pass
Solids, %	38.0 - 43.0%	39.92%
pH (as is)	5.50 - 7.00	6.38
FTIR	To match standard	Pass
Viscosity (RV #4 @ 20rpm)	500 cPs MAX	40 cPs
Sodium Sulfite	0 ppm MAX	0 ppm

“Certified in compliance with the terms of the US-Canada Organic Equivalency Arrangement. The above data was obtained using the test indicated and is subject to the deviation inherent in the test method. Results may vary under other test methods or conditions.”

This report is not to be signed. All data are as per our supplier.

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy themselves as to the suitability & completeness of such information for their own particular use.