



Mineral Base

Safety Data Sheet according to Federal Register / Vol. 77, No. 58

March 26, 2012 / Rules and Regulation

Revision Date: 12-15-2019 Supersedes: 07-29-2016

PRODUCT & COMPANY IDENTIFICATION

Product Mineral Base Distributor: MakingCosmetics.com Inc. Name:

10800 231st Way NE Synonyms: Address:

> Mica, zinc oxide, titanium dioxide, silica Redmond, WA 98053 (USA)

12001-26-2, 1314-13-2, 13463-67-7, CAS Number: Phone / Fax: 425-292-9502 / 425-292-9601 60676-86-0

Web: Formula: n/a www.makingcosmetics.com Product Form: Powder

Emergency Telephone Number: 1-800-424-9300 Product Use: Cosmetic use

(Chemtrec)

2 HAZARDS IDENTIFICATION

GHS Hazard Pictograms:

INCI Name:

GHS Classification: Skin irritation (category 3), carcinogenicity (category 2)

GHS Signal Word: **DANGER**

H319: Causes serious eye irritation GHS Hazard Statements:

H335: May cause respiratory irritation

H372: Causes damage to organs through prolonged or repeated exposure

H410: Very toxic to aquatic life with long lasting effects

GHS Precautionary P501: Dispose in accordance with local disposal regulations Statements:

Potential Health Hazards:

Eyes: Can cause irritation, tearing and mild temporary pain.

Dust is non-toxic if inhaled, except of a few reported cases of metal fume fever. Inhalation:

Some workers develop a tolerance after repeated daily exposure to zinc oxide

fume. This tolerance is lost after short periods away from work.

Skin: May cause skin irritation

Ingestion: May cause vomiting, nausea, thirst, diarrhea and abdominal pain.

NFPA Ratings (704):

Health Moderate 2 **Flammability** Slight 0 Reactivity Minimal Specific Hazard W Use no water

COMPOSITION/INFORMATION ON INGREDIENTS

CAS No. Molecular Weight Component Weight % 12001-26-2 Mica 58-85% Zinc Oxide 1314-13-2 10-25% 81.38 g/mol Titanium Dioxide 13463-67-7 5-15% 79.87 g/mol Silica 60676-86-0 1-7%

4 FIRST AID MEASURES

Eyes: In case of eye contact, rinse with plenty of water and seek medical attention if necessary

Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give Inhalation:

artificial respiration. Get medical attention if necessary.





Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing Skin:

and wash using soap. Get medical attention if necessary

Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash Ingestion:

out mouth with water. Get medical attention if necessary.

FIRE-FIGHTING MEASURES

Suitable (and unsuitable)

extinguishing media: Special protective equipment

& precautions for firefighters:

Environmental precautions:

Specific hazards:

Product is not flammable. Use appropriate media for adjacent fire. Cool unopened containers with water.

Wear self-contained, approved breathing apparatus and full protective clothing,

including eye protection and boots.

Emits toxic fumes under fire conditions. See also Stability and Reactivity section.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions: See section 8 for recommendations on the use of personal protective equipment. Prevent spillage from entering drains. Any release to the environment may be

subject to federal/national or local reporting requirements

Pick up and arrange disposal without creating dust. Sweep up and place in suitable, closed containers for disposal. Clean surfaces thoroughly with water to Methods and material for containment and cleaning up: remove residual contamination. Dispose of all waste and cleanup materials in

accordance with regulations

HANDLING & STORAGE

See section 8 for recommendations on the use of personal protective equipment. Use with

Safe handling: adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid

formation of dusts.

Safe storage: Store in cool, dry well ventilated area. Keep away from incompatible materials.

EXPOSURE CONTROLS / PERSONAL PROTECTION

Component	Exposure Limits	<u>Basis</u>	Entity
Mica	3 mg/m ³	TWA	ACGIH
	3 mg/m^3	REL	NIOSH/GUIDE
	3 mg/m^3	TWA	Z1A
Zinc Oxide	2.0 mg/m³ -total dust	TWA	ACGIH
Zinc Oxide	10.0 mg/m³ - total dust	STEL	ACGIH
Zinc Oxide	5.0 mg/m ³ - TWA respirable fraction	PEL	OSHA
Zinc Oxide	15.0 mg/m ³ - TWA total dust	PEL	OSHA
Zinc Oxide	5.0 mg/m ³ - TWA fume	PEL	OSHA
Zinc Oxide	10.0 mg/m ³ - STEL fume	PEL	OSHA
Zinc Oxide	5.0 mg/m³ - total dust	REL	NIOSH
Zinc Oxide	15.0 mg/m ³ - 15min ceiling	REL	NIOSH
Titanium Dioxide	10 mg/m ³	TLV	ACGIH
	15 mg/m³ (total dust)	PEL	OSHA
Silica	20 mppcf (80 mg/m3/%SiO2)	TWA (PEL)	ACGIH
	6 mg/m3 (amorphous)	TWA	OSHA
	3000 mg/m3 (amorphous)	IDLH	NIOSH
TWA: Time Weighted Average over 8 hours of work.		STEL: Short Term Exposure Limit during x minutes.	

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection:

Eyes: Wear chemical safety glasses or goggles.





Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved Inhalation:

respirator.

Skin: Wear nitrile or rubber gloves, apron or lab coat.

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and Other:

handling

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance, Physical Powdered solid Vapor Pressure: Not applicable State: Odor: Odorless Vapor Density: Not applicable **Evaporation Rate:** Not applicable Taste: **Tasteless** Flash Point: Not flammable Color: White Molecular Weight: Not available Specific Gravity: Not available Not available pН Solubility: Insoluble in water

Boiling Point: Not available **Melting Point:** Not available

STABILITY AND REACTIVITY

Reactivity: Product is stable Product is stable Chemical Stability: Possibility of Hazardous Will not occur Reactions: Conditions to Avoid: Not available

Hazardous Decomposition

Products:

None

Zinc oxide and chlorinated rubber react violently at 215°C. Contact with magnesium Incompatible Materials:

and linseed oil can cause violent reaction. Contact with strong acids may cause vigorous reaction. Contact with strong bases will form water and soluble zincates. Contact between zinc oxide and hydrogen fluoride, aluminum and hexachloroethane,

zinc chloride or phosphoric acid, and water should be avoided.

TOXICOLOGICAL INFORMATION

Acute Toxicity (LD50, Zinc oxide): 240 mg/kg (intraperitoneal, rat), >8.4g/kg (oral, rat)

Carcinogenicity: Not classified as carcinogenic material

Teratogenicity: Zinc oxide at 2 to 38 mg/day had no effect on reproduction Mutagenicity: Zinc components have not been active in genetics assays

Embryotoxicity: Not available Specific Target Organ Toxicity: Not available Reproductive Toxicity: Not available

ECOLOGICAL INFORMATION

It is very toxic to aquatic organisms. Since it take a very long time for zinc oxide to break Ecotoxicity (zinc oxide):

down, it may cause adverse long-term effects in the aquatic environment.

Persistence and Not available Degradability: **Bioaccumulative Potential:** Not available Mobility in Soil: Not available PBT and vPvB Assessment: Not available Other Adverse Effects: Not available

DISPOSAL CONSIDERATIONS





Users should review their operations in terms of the applicable federal/national or local

Waste Residues: regulations and consult with appropriate regulatory agencies if necessary before disposing of

waste product container.

Users should review their operations in terms of the applicable federal/national or local Product regulations and consult with appropriate regulatory agencies if necessary before disposing of Containers:

waste product container.

The information in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods

14 TRANSPORT INFORMATION

DOT (Dept. of Transportation, USA): Not regulated TDG (Transportation of Dangerous Goods, Not regulated Canada):

IMDG (International Maritime Dangerous Goods): Number UN3077, hazard class 9 IATA (International Air Transport Association): Number UN3077, hazard class 9

ICAO (International Civil Aviation Organization): Not regulated

REGULATORY INFORMATION

TSCA Inventory Status: All ingredients are listed on the TSCA inventory

EC # 215-222-5 DSCL (EEC): SARA 311/312: Listed (acute) **SARA 313:** Compounds: Zn, Pb

U.S. EPA: Reg. No. 71645-3, PC Code: 088502

U.S. TRI: Reproductive Toxin - Yes, Development Toxin - Yes

OTHER INFORMATION

07-29-2016 **Revision Date:**

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Compliance:

Communication Standard 29 CFR 1910.1200

This information relates only to the specific material designated and may not be valid for such Disclaimer:

material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or

expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as

to the suitableness & completeness of such information for his own particular use.