

## Certificate of Analysis

### (Representative Sample Certificate)

**Product Name:** SkinTight LIFT  
**INCI Name:** Water, glucosamine HCL, pisa sativum (pea) extract, bambusa vulgaris stem/leaf extract  
**CAS Number:** 7732-18-5, 66-84-2, 91771-33-4, 90082-41-0  
**Lot Number:** Not available (data may vary slightly with different lots or batches)  
**Expiration Date:** 24 months from the production date

Property	Specification	Analysis
Appearance	A slight particulate may form	Pass
Odor	Slight characteristic odor	Pass
Description	Clear yellow to amber solution	Pass
pH @20° C	2.0 - 4.5	2.20
Specific Gravity (20° C)	1.010 - 1.200	1.06g/ml
Residue on Drying	Less than 30%	14.4000%
Microbial Content	<100 cfu/g	<100 cfu/g
Total Aerobic Plate Count	<100 cfu/gram	<100 cfu/gram
Yeast & Molds	<100 cfu/gram	<100 cfu/gram
Pathogens	Absent	Absent

The above data was obtained using the test indicated and is subject to the deviation inherent in the test method. Results may vary under other test methods or conditions.

This report is not to be signed. All data are as per our supplier.

**Disclaimer:** This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy themselves as to the suitability & completeness of such information for their own particular use.