

Revision Date: 21-Nov-2024

Supersedes: 24-Oct-2022

## Magnesium Aluminum Silicate HV

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / March 26, 2012 / Rules and Regulation

PRODUCT & COMPANY IDENTIFICATION

Product Name: Magnesium Aluminum Silicate HV

Synonyms: No data available

INCI Name: Magnesium aluminum silicate

12199-37-0 CAS Number: No data available Formula:

Product Form: Solid

**Product Use:** Cosmetic use Distributor: MakingCosmetics Inc. 10800 231st Way NE Address:

Redmond, WA 98053 (USA) 425-292-9502 / 425-292-9601 Phone / Fax: Web: www.makingcosmetics.com

Emergency Telephone Number: 1-800-424-9300 (Chemtrec)

## HAZARDS IDENTIFICATION

Classification: Not classified.

Labeling: Not a dangerous substance according to GHS.

Hazard Pictograms: None.

Hazard Statements: No known significant effects or critical hazards.

**Precautionary Statements:** General: Read label before use.

Keep out of reach of children. If medical advice is needed, have product container or

label at hand.

Avoid excessive dust generation.

Avoid breathing dust.

Use only with adequate ventilation.

Storage: Store locked up. Store in a dry place.

Non-Classified Hazards: Not an acute hazard. May cause mechanical eye or skin irritation. Prolonged inhalation

may cause lung injury. Physical form is unlikely to generate dust under normal

conditions of use. Material will become slippery when wet.

Potential Health Hazards: Eyes: Not a primary eye irritant. May cause mechanical irritation.

Inhalation: No known significant effects or critical hazards. Skin: No known significant effects or critical hazards. Ingestion: No known significant effects or critical hazards.

NFPA Ratings (704):

**HMIS Ratings:** 

Health Minim al 0 Flam mability 0 0 Reactivity N/A

Specific Hazard

Health

1 0 Flam mability 0 Reactivity

Personal Protection Minim al Minimal

Slight Minimal

Minim al

F

### COMPOSITION/INFORMATION ON INGREDIENTS

Molecular Weight Component CAS No. Weight % Magnesium aluminum silicate 12199-37-0 100% Not Available

## FIRST AID MEASURES

Flush with plenty of water for at least 15 minutes, occasionally lifting upper and lower eyelids. If irritation Eyes:

develops and persists, seek medical attention.

Inhalation: Move to fresh air. If respiratory distress develops, seek medical attention. Skin: Flush skin with plenty of water. Seek medical attention if irritation develops.

Ingestion: Do Not Induce Vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an



unconscious person unless directed to do so by medical personnel. Unlikely to be toxic by ingestion. Rinse mouth out with water. Seek medical attention if significant quantities have been ingested or symptoms occur.

No specific treatment. Treat symptomatically. No action shall be taken involving any personal risk or without

**Notes:** suitable training.

#### 5 FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:
Special protective equipment (

This product is not combustible. Use appropriate media for surrounding environment and adjacent fire. No restrictions on extinguishing media for this product.

Wear self-contained breathing apparatus (SCRA) with a full face-piece operated in positive

Special protective equipment & precautions for firefighters:

Wear self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode and full protective clothing, including eye protection and boots. Product may become slippery when wet.

Flash Points:

Physician

Product does not sustain combustion.

Specific hazards arising from the chemical:

No specific fire or explosion hazard. This product is not flammable and does not support fire. There are no hazardous decomposition products. See also Stability and reactivity section.

#### 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment & emergency procedures:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not try to clean up the leak without proper protective equipment. See section 8 for recommendations on the use of personal protective equipment.

**Environmental precautions:** 

Avoid liquid release into sewers/public water/environment. Notify environmental authorities in case of leak.

Methods and material for containment and cleaning up:

For small spills, minimize dust generation. Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. For large spills, minimize dust generation. Move containers from spill area. Prevent entry into sewers, water courses, basements, or confined areas. Vacuum or sweep up material and place in a designated, labeled waste containers. Dispose of absorbed material in accordance with the regulations.

### 7 HANDLING & STORAGE

Precautions for safe handling:

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Use good personal hygiene practice. See section 8 for recommendations on the use of personal protective equipment.

Conditions for safe storage, incl. any incompatibilities:

practice. See section 8 for recommendations on the use of personal protective equipment. Store in accordance with local regulations. Store tightly closed, in original container, protected from direct sunlight, in a dry, cool, and well-ventilated area. Keep away from food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store away from incompatible materials (see section 10 for incompatibilities).

#### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

**Entity** Component **Exposure Limits Basis** Smectite clay 15 mg/m3 (total dust) TWA **OSHA PEL** 5 mg/m3 (respirable dust) TWA (PNOR) **OSHA PEL** 10 mg/m3 (inhalable dust) TWA **ACGIH TLV** 3 mg/m3 (respirable dust) TWA (PNOS) ACGIH TLV

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels CEIL: Ceiling

#### Personal Protection:



Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is Eyes:

necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If contact is possible, safety glasses with side shields or splash protection goggles should be worn, unless the assessment indicates a higher degree of protection.

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or Inhalation:

certification. Respirators must be used according to a respiratory protection program to ensure proper fitting,

training, and other important aspects of use. Disposal particulate masks are recommended.

Body: Wear protective gloves. Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and

the risks involved and it should be approved by a specialist before handling this product.

**Engineering** Controls:

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below established recommended exposure limits. If user operations generate dust, use ventilation to keep exposure to airborne contaminants below the exposure limit. Under controlled laboratory test conditions, the granular particulate form of this product was found to produce a 3-fold reduction in airborne respirable dust (<10 microns) when compared to

flake particulate forms of the same product. Use in an industrial setting is likely to yield similar aerosol dust suppression. As per sound industrial hygiene practice, however, dust levels should be determined by direct dust

monitoring at the work site to address variations in material handling and dust control practices.

**Exposure** Controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering

modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Other: Wash hands, forearms, and face thoroughly after handling chemical products, before eating, smoking and using the

lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Use good personal hygiene practices. Provide

eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

### PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid (Granules) Vapor Pressure: Not applicable Odor: Vapor Density: Not applicable Odorless Not applicable Odor Threshold: No data available Evaporation Rate: Off-white to tan Flammability: No data available Color:

Molecular Weight: No data available Upper/lower Explosive Limit: No data available

9 - 10 (Conc. (% w/w): 5%) Flash Point: Product does not sustain pH:

combustion

**Boiling Point:** Not applicable Specific Gravity: No data available

Melting/Freezing Point: No data available Water Solubility: Insoluble

Relative Density: 2.6 Auto-Ignition Temperature:

No data available Partition Coefficient: n-

**Decomposition Temperature:** No data available No data available octanol/water:

Viscosity: No data available **Explosive Properties:** No data available **Oxidizing Properties:** No data available Metal Corrosion: No data available

## 10 STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical Stability: The product is stable. Hazardous Polymerization: No data available. Conditions to Avoid: No specific data. Incompatible Materials: No specific data.

**Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not

be produced.

Possible Hazardous Reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

## TOXICOLOGICAL INFORMATION

**Acute Toxicity:** No data available. Skin: No data available. Eyes: No data available.



Inhalation: No data available. Ingestion: No data available.

Carcinogenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Germ Cell Mutagenicity: No known significant effects or critical hazards.

**Specific Target Organ Toxicity:** No data available.

**Reproductive Toxicity:** No known significant effects or critical hazards.

Chronic Health Effects: Excessive exposure to any dust may aggravate pre-existing respiratory conditions.

### 12 ECOLOGICAL INFORMATION

No data available. **Ecotoxicity:** Aquatic Vertebrate: No data available. Aquatic Invertebrate: No data available. No data available. Terrestrial: Persistence and Degradability: No data available. **Bioaccumulative Potential:** No data available. Mobility in Soil: No data available. PBT and vPvB Assessment: No data available.

Other Adverse Effects: No known significant effects or critical hazards.

### 13 DISPOSAL CONSIDERATIONS

Waste Residues: The generation of waste should be avoided or minimized wherever possible. Disposal of this product,

solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to

the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Product Containers:** Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not

feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Users should review their operations in terms of the applicable federal, national, or local regulations and consult with appropriate regulatory agencies, if necessary, before

disposing of waste product container.

The information in section 13 is for the product as shipped. Use and/or alterations to the product may change the characteristics of the material and alter the waste classification and proper disposal methods

### 14 TRANSPORT INFORMATION

DOT (Dept. of Transportation, USA):

TDG (Transportation of Dangerous Goods, Canada):

Not regulated.

#### 15 REGULATORY INFORMATION

TSCA Inventory Status: All components are listed or exempted.

SARA 302/304: No products were found.

SARA 311/312: None of the components are listed.

State Regulations: None of the components are listed in MA, NY, NJ, or PA.

Canada (DSL): No data available. EU (EINECS): No data available.

California Proposition 65:
China (IECSC):
Australia (AIIC):
Japan (CSCL/ISHL):

None of the components are listed.
All components are listed or exempted.
All components are listed or exempted.
All components are listed or exempted.



DITTE (NCCC)

Philippines (PICCS): All components are listed or exempted. Korea (KECI): All components are listed or exempted. New Zealand (NZloC): All components are listed or exempted. All components are listed or exempted. Taiwan (TCSI): Malaysia (EHS Register): All components are listed or exempted. All components are listed or exempted. Mexico Inventory: Turkey Inventory (CICR): All components are listed or exempted. Vietnam Inventory: All components are listed or exempted.

### 16 OTHER INFORMATION

Revision Date: 21-Nov-2024

Compliance: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication

Standard 29 CFR 1910.1200

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in

combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitableness & completeness of such information for his

own particular use.