

Certificate of Analysis
(Representative Sample Certificate)

Product Name: Aluminum Chlorohydrate
INCI Name: Aluminum Chlorohydrate
CAS Number: 12042-91-0
Lot Number: Not available (data may vary slightly with different lots or batches)
Expiration Date: 36 months from production date

Analytical Tests	Specifications	Results
Aluminum/Chloride Atomic Ratio	1.91: 1-2.01: 1	1.95
Assay (Anhydrous Basis)	72.3 - 88.3 %	79.0 %
Ph OF A 15% SOLUTION	3.0 - 5.0	4.3
Chloride (Cl)	As reported	16.5 %
Aluminum	As reported	24.5 %
Arsenic (As)	Max 2 ug/ g	< 2 ug/ g
Heavy Metals	Max 0.002 %	< 0.002 %
Iron (Fe)	Max 150 ug/ g	72 ug/ g
Identification	To pass test	Passes Test

The above data were obtained using the test indicated and is subject to the deviation inherent in the test method. Results may vary under other test methods or conditions.

This report is not to be signed.

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitability & completeness of such information for his own particular use.